Universal machine
Chameleon

NO. 20000

ROKAMAT
easy working



Grinding, stripping wallpaper, smoothing, cleaning, polishing – all with one machine

- Light weight due to separation of tool and motor
- Smooth operation thanks to contra-rotating tool discs
- Large operating surface (2x Ø 200 mm)
- Continuous speed control to optimise each different application
- Dust-free working in combination with our special vacuum cleaners

Technical Data

Tool rpm	150 – 570
Power consumption	1 000 W
Weight	Tool approx. 2,4 kg Motor approx. 2,4 kg

Scope of supply

Supporting plates Ø 200 mm,
Emery grain 16 (4 pcs.),
in machine case


1


2


3


4


5


6


7

Accessories Chameleon

Ø 200 mm

Cleaning

	Unit	No.	Fig.
Steel brushes, fine	2	21200	–
Steel brushes, medium	2	21300	1
Steel brushes, coarse	2	21400	–
Special steel brushes, medium	2	23000	–
Special steel brushes, coarse*	2	23100	–
Nylon brushes, superfine	2	21505	–
Nylon brushes, fine	2	21500	–
Nylon brushes, coarse	2	21600	2
Steel / nylon brushes	2	22500	–

· Cleaning and waxing formwork units
· Removing old, loose plaster, render and paint
· Cleaning and preparing plaster for new coverings
· Cleaning exterior facades of moss and algae
*Perfect for removing ivy from facades

Cleaning and polishing

All pads to use with the supporting plates No. 20700

	Unit	No.	Fig.
Cleaning pad, fine	2	23900	–
Cleaning pad, medium	2	23400	3
Cleaning pad, coarse	2	23500	–
Polishing pad, very fine	2	23300	–
Lambskin pad, superfine	2	23600	4

· Cleaning formwork, exposed concrete, buildings and facades, polishing “marble effect” or parquet

Flattening concrete

	Unit	No.	Fig.
Flattening plate	2	22700	5

· For flattening concrete easily and quickly. To be used before the material has taken final set (sprayed concrete).

Grinding

	Unit	No.	Fig.
Supporting plates with velcro	2	20700	6

· For mounting sanding discs, grinding grids, metal abrasive discs, cleaning and polishing pads

Sanding discs

	Unit	No.	Fig.
Emery grain 16 (for polystyrene)	4	20816	7
Emery grain 24	4	20824	–
Emery grain 40	6	20840	–
Emery grain 60 (for gypsum)	6	20860	–
Emery grain 80	6	20880	–
Emery grain 100	6	20810	–
Emery grain 120	6	20812	–

· Sanding discs for professional painting and varnishing
· Surface grinding: Polystyrene insulating boards or other thermal insulating systems (EIFS and ETICS), taped board joints, plaster background (1st layer of the render), roughening up polystyrene surfaces
· Removing adhesive residues (carpets)
· Cleaning shuttering pans



Cleaning formwork units



Working with the Rucksack vacuum cleaner RVC-L



Removing old paint

Accessories Chameleon

Ø 200 mm

JÖST Superpads

	Unit	No.	Fig.
Grain 40	6	28040	1
Grain 60	6	28060	1
Grain 80	6	28080	1
Grain 120	6	28012	1
Grain 180	6	28018	1
Grain 220	6	28022	1

· Unique full-surface perforations and patented Velcro-type system allows full-surface dust extraction (no clogging), higher sanding capacity and shorter sanding time.

Grinding grids

	Unit	No.	Fig.
Grinding grit 80	4	27080	2
Grinding grit 100	6	27010	2
Grinding grit 120	6	27012	2
Grinding grit 180	6	27018	2
Grinding grit 220	6	27022	2

· For sanding plaster and fillers (drywall).

Aggressive grinding

	Unit	No.	Fig.
Metal abrasive discs, fine	2	22405	3
Metal abrasive discs, medium	2	23205	3
Metal abrasive discs, coarse	2	22905	3

· For grinding timber, brick, screed, carpet residue, fibreglass, gas concrete and many other materials

Optional accessory

	Unit	No.	Fig.
Shoulder strap	1	05100	4

1



2



3



4





Grinding EIFS and ETICS boards



Removing old plasters



Cleaning facades

Made in GERMANY since 1982



ROKAMAT
www.rokamat.com

Made in GERMANY since 1982

Distributor: